

JUNE 2017

SURPLUS STEEL POLES

Incredibly short lead times can be obtained using surplus structures. We offer a wide range of existing unused and used poles for quick delivery. Our listing of surplus poles across the United States puts us in a position to offer the shortest lead times possible. We match your project requirements with the best candidates. Poles are modified and refinished to meet your exact requirements. We have a well-developed process for modifying and refinishing surplus poles. Over 14 million lbs of steel poles have been sold since 1999 and some delivered in only one day. Available finishes are galvanized, painted and weathering (corten).

PLS-POLE™ MODEL LIBRARIES

PLS-POLE™ models of our current inventory are available from the links below and also on the Power Line Systems, Inc. (<http://www.powline.com/products.html>) website under steel pole libraries.

Direct Buried Steel Pole Library (<http://utilitypolesolutions.com/cms-themes/Default/utilitypolesolutions-direct-buried-steel-pole-library.spp>) [PLS-POLE™ MODELS OF CURRENT INVENTORY OF DB STEEL POLES]

Baseplate Steel Pole Library (<http://utilitypolesolutions.com/cms-themes/Default/utilitypolesolutions-baseplate-steel-pole-library.spp>) [PLS-POLE™ MODELS OF CURRENT INVENTORY OF BASPLATE STEEL POLES]

Power Line Systems Website (https://www.powline.com/files/pls_pole.html) [PLS-POLE™ MODELS OF CURRENT INVENTORY OF DB AND BPL STEEL POLES]

STEEL POLE INVENTORY OF IN-STOCK TRANSMISSION AND DISTRIBUTION POLES

LIGHT DUTY DIRECT-BURY POLES

(POLES CAN BE CUT OR EXTENDED TO ANY REQUIRED LENGTH OR CLASS)

Pole Tag	Quantity	Length	Finish
30FT light pole	18	30	Bronze finish
30ft st light	27	30	new fibreglass
30ft class 4	61	30	new fibreglass
30FT light pole	5	30	Green over galv
30 ft class H2	1	30	corten or paint
30ft H8	1	31.5	corten or paint
35ft st light	13	35	new fibreglass
35ft class 4	41	35	new fibreglass
37 ft class H9	1	37	galv or paint
40ft class 4	24	40	new fibreglass
40 ft class H2	9	40	corten or paint
45ft class 3	3	45	new fibreglass
45ft class 1	7	45	galv or paint
45ft class H2	6	45	corten or paint
45ft class H3	1	45	galv or paint
50ft class 2	1	50	galv or paint
50ft class 1	18	50	galv or paint
50ft class H1	2	50	corten or paint
50ft static mast	1	50	galv or paint
50ft class H2	20	50	corten or paint
50ft class H3	5	50	galv or paint
50ft class H3	1	50	corten or paint
53ft class H5	11	53	galv or paint
55ft class 2	17	55	galv or paint
55ft class 1	1	55	paint over galv
55ft class 1	18	55	galv or paint
55ft Class H1	2	55	galv or paint

Pole Tag	Quantity	Length	Finish
55ft class H2	7	55	corten or paint
55ft Class H3	4	55	galv or paint
55ft Class H3	2	55	corten or paint
55ft Class H4+	30	55	corten or paint
60ft class 2	14	60	galv or paint
60ft class 1	6	60	paint over galv
60ft class 1	20	60	galv or paint
60ft class H1	1	60	galv or paint
60ft class H1	1	60	corten or paint
60ft class H2	1	60	corten or paint
60ft class H3	1	60	galv or paint
60ft class H3	1	60	corten or paint
60ft class H4	4	60	galv or paint
60ft class H4	6	60	corten or paint
62ft class H10	4	62	corten or paint
65ft class 2	4	65	galv or paint
65ft class 1	2	65	galv or paint
65ft class H1	7	65	galv or paint
65ft class H3	11	65	corten or paint
65ft class H4	58	65	corten or paint
65ft class H5	35	65	corten or paint
65ft class H5	2	65	corten or paint
65ft class H6	4	65	corten or paint
70ft class 1	2	70	galv or paint
70ft class 1	1	70	galv or paint
70ft class H1	3	70	corten or paint
70ft class H1	17	70	galv or paint
70ft class H2	4	70	corten or paint
70ft class H3	1	70	corten or paint
70ft class H3	5	70	galv or paint
70ft class H4	26	70	corten or paint
70ft class H5	4	70	corten or paint
73ft class H10	5	73	galv or paint
74.5ft class H5	3	74.5	corten or paint
75ft class 1	2	75	galv or paint
75ft class H1	16	75	corten or paint
75ft class H1	11	75	galv or paint
75ft class H2	1	75	corten or paint
75ft class H3	3	75	galv or paint
75ft class H5	10	75	corten or paint
75ft class H5	1	75	corten or paint
75ft class H7	17	75	galv or paint
78ft class H10	8	78	galv or paint
79ft class H7	2	79	galv or paint
80ft class 2	19	80	galv or paint
80ft class 1	16	80	galv or paint
80ft class H1	1	80	galv or paint
80ft class H5	1	80	corten or paint
80ft class H5	2	79.5	galv or paint
80ft class H5	8	80	corten or paint
82ft class H13	44	82	galv or paint
83ft class H10	5	83	galv or paint
85ft class H2	3	85	corten or paint
85ft class H4	1	85	galv or paint
85ft class H4	4	85	galv or paint
85ft class H5	16	85	galv or paint
85ft class H5	2	85	corten or paint

Pole Tag	Quantity	Length	Finish
85ft class H9	3	85	galv or paint
88ft class H10	1	88	galv or paint
90ft class 2	1	90	galv or paint
90ft class 1	12	90	galv or paint
90ft class H4	1	90	galv or paint
90ft class H6	1	90	corten or paint
90ft class H6	2	90	galv or paint
90ft class H7	2	90	galv or paint
92ft class H10+	1	92	galv or paint
93ft class H6	2	93.5	paint over galv
93ft class H10	4	93	galv or paint
94ft class H4+	1	94	corten or paint
95ft class H1	1	95	galv or paint
95ft class H4	10	95	galv or paint
95ft class H6	1	95	corten or paint
95ft class H6	15	95	galv or paint
95ft class H7	1	95	galv or paint
98ft class H10	2	98	galv or paint
100ft class H4	1	100	galv or paint
103ft class H6	1	103	galv or paint
100ft class H9	1	100	galv or paint
105ft class H6	1	105	corten or paint
105ft class H8	9	105	corten or paint
105ft class H9	16	105.75	galv or paint
110ft class H4	3	110	galv or paint
110ft class H5	2	110	corten or paint
110ft class H8	5	110	corten or paint
113ft class H10	3	113	corten or paint
115ft class H7	1	115	corten or paint
115ft class H8	1	115	corten or paint
118ft class H10	4	118	corten or paint
120ft class H2	2	120	corten or paint
124ft class H10	12	124	corten or paint
130ft class H2	1	130	corten or paint
130ft class H9	6	130	corten or paint
150ft class H2	2	150	corten or paint
150ft class H7	2	150	corten or paint
920 Total			

MED AND HEAVY DUTY DIRECT-BURY POLES

[CAN BE SHORTENED OR EXTENDED]

Pole Tag	Quantity	Length(FT)	Weight(LB)	Finish	Moment Capacity FT-K
BHAXXXtop	1	60	8,800	galv or paint	3,570
50-S-SUP	3	66	11,832	galv or paint	2,888
ST1-80	1	77	7,025	paint over galv	802
KENT-1A	1	79.5	10,905	paint over galv	900
DB1852	1	80	7,760	corten or paint	1,141
ATL82	18	82	6,550	galv or paint	1,158
MP-95	3	95	7,210	corten or paint	1,318
ED95	1	95	7,950	paint over galv	1,385
E24-24.5	6	95	6,465	galv or paint	1,014
MP-96	1	96	6,929	corten or paint	1,017
MP-100	11	100	7,860	corten or paint	1,413
MP-102	1	102	7,528	corten or paint	1,107
MP-105	12	105	8,460	corten or paint	1,520
XAM	17	105.75	6,612	galv or paint	1,051

Pole Tag	Quantity	Length(FT)	Weight(LB)	Finish	Moment Capacity FT-K
BP-107	1	107	10,322	corten or paint	2,057
MP-110	5	110	9,310	corten or paint	1,756
MP-113	6	113	9,770	corten or paint	1,279
ED115	1	115	10,900	paint over galv	1,609
MP-118	4	118	10,680	corten or paint	1,385
MP-124	12	124	11,602	corten or paint	1,482
106 Total					

BASEPLATE POLES

[CAN BE SHORTENED OR EXTENDED], PLEASE NOTE THAT ALL BASEPLATE POLES CAN EASILY BE CONVERTED TO DIRECT-BURY

Pole Tag	Quantity	Length(FT)	Weight(LB)	Finish	Moment Capacity FT-K	Anchor Bolts
GAR31	3	31	2600	galv or paint	545	4
GAR-8SIDE	9	35	2,200	galv or paint	172	4
GAR-RND	3	35	2,300	galv or paint	205	6
GAR14	1	37	3400	galv or paint	919	8
GAR42	1	38	7700	galv or paint	2940	16
GAR 19,22	2	40	2400	galv or paint	521	4
GAR 18	1	40	2600	galv or paint	636	4
GAR21	1	45	4400	galv or paint	1507	4
GAR37	1	45	4500	galv or paint	1600	4
JA	2	50	3,500	galv	496	8
GAR35	1	50	3600	galv or paint	500	4
GAR17	1	50	3900	galv or paint	1140	4
GAR26	1	50	5600	galv or paint	1675	8
GAR16	1	50	6400	galv or paint	1909	8
GAR8	1	50	5950	galv or paint	1963	8
GAR6	1	54	8900	galv or paint	4011	14
TL-60-323	1	55	3,171	galv or paint	614	4
EP55	2	55.5	3,000	galv	213	4
GAR25	1	58	7,400	galv or paint	1,781	8
GAR7	1	60	8,400	galv or paint	2,100	12
GAR29	1	60	10,360	galv or paint	3,343	12
GAR32	1	65	10,450	galv or paint	2,600	16
TUS-1X	38	65.5	2,245	corten or paint	376	4
31-20-6	1	65	12,470	corten or paint	4,336	16
TUS-1X	33	70	2,665	corten or paint	416	4
T-20-308A	1	70	7,186	galv or paint	1,951	12
CMP-85	1	70	13,506	corten or paint	3,282	16
GAR34A	1	70	12,200	galv or paint	3,917	12
GAR24	1	70	19,900	galv or paint	4,525	24
DB1379	1	72	8,000	galv or paint	440	4
CRC 64EC	1	74	19,500	galv or paint	5,669	20
TUS-1X	7	74.5	2,665	corten or paint	550	4
LMAST	3	75	5,407	galv or paint	578	8
31-2-1	1	75	4,372	corten or paint	803	8
#1/11	1	75	7,662	galv or paint	939	8
SC-30	1	75	12,110	galv or paint	2,352	12
GAR9,10,11	3	75	14,400	galv or paint	3,703	12
GAR12	1	75	16,300	galv or paint	5,125	16
GAR4	1	75	16,200	galv or paint	5,400	16
GAR3	1	75	17,800	galv or paint	5,700	24
AF80	2	80	3,450	galv or paint	680	6
GAR2	1	80	5,300	galv or paint	602	4
T-10-355	2	80	7,415	galv or paint	1,339	4
MAI-80	1	80	10,500	galv or paint	1,249	10
DBD1785	1	80	13,100	corten or paint	2,997	12

Pole Tag	Quantity	Length(FT)	Weight(LB)	Finish	Moment Capacity FT-K	Anchor Bolts
OUTBP-G1	1	80	11,329	corten or paint	3,253	12
GAR33 elip	1	80	18,500	galv or paint	6,308	16
ALT80	1	80	32,820	galv or paint	8,559	32
ALT-82	18	82	10,480	galv or paint	1,315	16
GAR15	1	82	11,300	galv or paint	1,760	8
LS1396	1	82.5	10,293	galv or paint	2,052	8
GAR5 elip	1	83	7,200	galv or paint	2,505	8
LM-85	16	85	6,508	galv or paint	590	8
GAR23	1	85	4,400	galv or paint	610	4
LMH-85	3	85	8,106	galv or paint	888	8
31-11-2	1	85	6,625	corten or paint	1,371	8
31-3-1	1	85	10,100	corten or paint	2,526	12
SC-31	1	85	13,810	galv or paint	2,690	12
OUTBP-G2	1	85	10,702	corten or paint	2,987	12
T-20-A114A	1	85	16,464	galv or paint	5,388	20
CL-FL-90	1	85	20,235	galv or paint	5,800	24
GAR34 ELIP	1	85	19,800	galv or paint	2,980	16
JA-3	1	90	11,200	galv or paint	1,800	12
104b	1	90	8,500	galv or paint	2,035	8
T-20-A108F 33,34	2	90	11,149	galv or paint	2,852	8
31-3-02	1	90	12,370	corten or paint	2,770	12
OUTBP-H1	1	90	15,621	corten or paint	3,733	16
GAR28	1	90	19,300	galv or paint	4,436	16
OUTBP-H16	1	90	15,744	corten or paint	5,642	12
CRC 65EB	1	90	24,400	galv or paint	7,209	20
CCA-2	2	92	18,400	galv or paint	2256 elip	12
CCA-5-8	1	92	26,000	galv or paint	6459 elip	10
CCA-10	1	92	37,900	galv or paint	8,351	22
CCA-9	1	92	38,500	galv or paint	8,984	26
OUTBP-H24	1	95	8,672	corten or paint	1,934	8
MP-95	2	95	8,447	corten or paint	1,533	8
95T	1	95	12,500	galv or paint	2,237	8
OUTBP-31	1	95	9,427	corten or paint	2,434	8
MN-10	1	95	13,400	galv or paint	3,604	16
T-0-415 elip	1	95	14,481	galv or paint	3,896	12
DBD2104	1	95	16,000	galv or paint	3,355	12
CP-3	2	95	23,344	galv or paint	4,250	18
OUTBP-H27	1	95	19,361	corten or paint	5,973	20
OUTBP-H17	1	95	17,275	corten or paint	6,038	16
OUTBP-H4	1	95	22,293	corten or paint	7,150	24
10/2AN 10/2AS	1	95	31,400	galv or paint	9,161	32
LCR-16A	1	95	16,440	galv or paint	3,360	12
ALT95	1	95	42,000	galv or paint	12,293	36
CRC 65EC	1	96	36,700	galv or paint	11,953	32
SDG-1C	1	97.5	12,397	galv or paint	2,459	12
SSA1-100	1	100	9,875	galv or paint	1,654	6
MP-100	8	100	10,638	corten or paint	1,652	8
MP-100M3	1	100	11,980	corten or paint	1,928	8
100T	1	100	13,600	galv or paint	2,428	12
DBD1861L	1	100	25,200	corten or paint	4,686	16
OUTBP-H32	1	100	19,585	corten or paint	6,023	16
AUST#3	1	100	24,420	corten or paint	6,576	24
SLA2-105	1	103	6,735	galv or paint	690	6
MP-105	31	105	9,940	corten or paint	1,759	12
105T	1	105	15,000	galv or paint	2,637	12
CMT-105	1	105	16,885	galv or paint	3,576	14
OUTBP-H18	1	105	26,765	corten or paint	8,562	24

Pole Tag	Quantity	Length(FT)	Weight(LB)	Finish	Moment Capacity FT-K	Anchor Bolts
PV-3-2	1	105	42,000	galv or paint	13,693	36
LE9	1	105	47,825	galv or paint	17,899	36
T-O-413	18	105.75	7,850	galv or paint	1,651	8
T-O-414 10B	1	105.75	14,012	galv or paint	1,971	12
T-O-414A 11B	1	105.75	10,730	galv or paint	1,683	8
T-O-414A 11A	1	105.75	14,704	galv or paint	3,298	12
T-O-414 10A	1	105.75	15,271	galv or paint	3,490	16
MP-110	5	110	12,469	corten or paint	1,897	16
10/3S	1	110	38,200	galv or paint	11,538	32
62-3	1	110	33,620	galv or paint	12,506	36
MP M2-115	1	115	10,200	corten or paint	1,305	8
62-2	1	115	40,940	galv or paint	13,457	36
KENT-2A	1	115	17,300	galv or paint	3,795	16
SDG-1B	1	115.5	16,583	galv or paint	2,902	12
LMAST 3 75 5,407 galv or paint 8 676	6	120	7,880	galv or paint	1,220	8
535/346	1	120	21,744	galv or paint	2,138	12
580/103..	3	125	23,727	galv or paint	2,286	12
E24-38.7M	1	127	30,067	galv	6,211	14
535/347	1	130	27,136	galv or paint	3,067	16
SDG-3	1	130	29,022	galv or paint	3,324	12
152	1	132	30,400	galv or paint	5,638	24
AF133	5	133	9,410	galv or paint	1,190	12
MN #42	1	135	44,259	galv or paint	9,849	20
LCR389	1	135	52,710	galv or paint	15,407	40
BHA141	1	136.75	84,300	galv or paint	18,900	52
BHA287	1	136.75	111,100	galv or paint	34,891	60
SDG-11	1	140	31,611	galv or paint	3,645	12
SDG-9	1	140	36,499	galv or paint	6,414	20
SDG-7	1	140	36,493	galv or paint	6,423	20
SPDD-2 T&B	1	140	35,150	galv or paint	10,600	28
SDG-5	1	140	59,469	galv or paint	14,865	36
28/1A	1	140	88,900	galv or paint	22,391	48
28/1B	1	140	88,900	galv or paint	22,391	48
X15634 HAF-1	1	141.5	149,800	galv or paint	22,858	48
186 X426	1	147	36,600	galv or paint	8,476	24
CA-Comm	1	150	6,100	galv or paint	598	8
FL-Com	5	150	57,471	galv	13,762	32
E24-46.2	1	152	41,567	Galv	8,235	16
Evalm-1	1	180	159,697	galv	37,884	68
M-185DE	1	185	84,004	corten or paint	19,895	48
	344 Total					

H-FRAMES

[CAN BE SHORTENED OR EXTENDED]

Name	Height	Qty	# Circuits	Pole Spacing	Finish
T-60-323	55	1	1	17.5	galv or paint
GP65	65	1	2	15	corten or paint
GP70	70	2	2	15	corten or paint
T-10-355	80	1	2	20	galv or paint
GP80	80	4	2	15	corten or paint
GP85	85	1	2	15	corten or paint
T-O-414A	106	1	3	12	galv or paint
T-O-413	106	8	3	12	galv or paint
T-O-414	106	1	3	12	galv or paint

SUBSTATION A-FRAMES

Name	Height	Qty	# Circuits	Pole Spacing	Finish	Vintage
JA	50	2	1	32	galv-new	2012
JA	50	2	2	32 x 2	galv-new	2012
MV-1	71	2	1	50	galv	2013
JA	75	1	2	50 x 2	galv	2011
JA	75	1	1	50	galv	2011

COMMUNICATIONS MONOPOLES

[CAN BE SHORTENED OR EXTENDED]

Height	Qty	Strength Rating (Foot-Kips)	Finish
85	1	1250	galvanized
90	1	3050	galvanized
110	1	1020	galvanized
130	1	2250	galvanized
150	1	598	galvanized
150	1	1150	galvanized
175	1	3950	galvanized

ANCHOR BOLTS

(924) 2 1/4" 18J and (117) 1 3/4" Grade 75 anchor bolts and (64) 1 3/4" full galv all-threads in stock

Allows immediate delivery of assembled anchor bolt cages

General Notes:

Manufacturer drawings available

Poles can be modified to any configuration

Transmission and distribution arms available for any requirements

Additional 30 elliptical poles with thick shaft plate available for tight areas, especially behind sidewalks

Additional surplus poles are in the process of being catalogued and added to this list

Call us to sell your surplus steel poles

Pole Selection Process:

We recommend you provide your loading requirements or plscadd/plspole model and we will select the best poles candidates for your project.

More poles are becoming available every month and we also have access to poles that are not on this inventory list.